























KNAGN412BE5466578














































Call your nearest pressure : (P235)  
 Pressione pneumatiche raccomandate a temperatura ambiente : (P235)  
 Pression pneumatiques recommandées : (P235)  
 Pression des pneumatiques : (P235)  
 Recommended call : (P235)



|          |               |         |         |
|----------|---------------|---------|---------|
| III - ●  | 205-55R16 85H | 225(33) | 225(33) |
| IIII - ▲ | 215-55R17 85H | 240(35) | 240(35) |
| IIII - ▲ | 225-45R18 85H | 225(33) | 240(35) |
| IIII - ▲ | 205-60R16 85H | 225(33) | 225(33) |
| IIII - ▲ | 215-55R17 85H | 240(35) | 240(35) |
| IIII - ▲ | 225-45R18 85H | 240(35) | 240(35) |
| IIII - ▲ | 215-60R16 85H | 240(35) | 420(60) |
| IIII - ▲ | 215-55R17 85H | 420(60) |         |

**KIA MOTORS CORPORATION**

**기아자동차(주)**

KNAGN412BE5466578

2020

3320

1-1130

2-1010

변속기 TRANSM AXLE F

차축 AXLE

도장 PAINT

외장 TRIM

B3U VA

형식 MODEL

승인 NO

검여부호 S.T.C

중시승인일월년 MODEL APPD DATE







